



**UNIVERSITAS BHAYANGKARA JAKARTA RAYA**  
**FAKULTAS ILMU KOMPUTER**

Kampus I: Jl. Harsono RM No. 67, Ragunan, Pasar Minggu, Jakarta Selatan, 12550  
Telepon: (021) 27808121 – 27808882  
Kampus II: Jl. Raya Perjuangan, Marga Mulya, Bekasi Utara, Jawa Barat, 17142  
Telepon: (021) 88955882, Fax.: (021) 88955871  
Web: [fasilkom.ubharajaya.ac.id](http://fasilkom.ubharajaya.ac.id), E-mail: [fasilkom@ubharajaya.ac.id](mailto:fasilkom@ubharajaya.ac.id)

**SURAT TUGAS**

Nomor: ST/357/III/2024/FASILKOM-UBJ

Pertimbangan : Dalam rangka mewujudkan Tri Dharma Perguruan Tinggi untuk Dosen di Universitas Bhayangkara Jakarta Raya maka dihimbau untuk melakukan penelitian.

Dasar : 1. Kalender Akademik Universitas Bhayangkara Jakarta Raya Tahun Akademik 2023/2024.  
2. Rencana Kerja dan Anggaran Pembelanjaan Universitas Bhayangkara Jakarta Raya Tahun 2024.

**DITUGASKAN**

Kepada : Personil yang namanya tercantum dalam Surat Tugas ini.

NO.	NAMA	NIDN	JABATAN	KETERANGAN
1.	Dr. Rakhmi Khalida, S.T., M.M.S.I.	0304099201	Dosen Tetap Prodi Informatika	Sebagai Penulis Pertama
2.	Khairunnisa Fadhilla Ramdhania, S.Si., M.Si.	0328039201	Dosen Tetap Prodi Informatika	Sebagai Penulis Kedua


Untuk : 1. Membuat Artikel Ilmiah dengan judul ***"Integration of Fuzzy AHP and TOPSIS in Decision Support System for Lecturer Academic Promotion"*** dengan menerima LoA pada tanggal 04 Maret 2024 untuk dipublikasikan di media Penelitian Ilmu Komputer, Sistem *Embedded and Logic* (PIKSEL), Vol. 12, No. 1, Maret 2024, Hal. 69-78, p-ISSN: 2303-3304, e-ISSN: 2620-3553.  
2. Melaksanakan tugas ini dengan penuh tanggung jawab.

Jakarta, 05 Maret 2024  
**DEKAN FAKULTAS ILMU KOMPUTER**  
  
**Dr. Dra. Tyastuti Sri Lestari, M.M.**  
NIP. 1408206



p-ISSN: 2305-3304  
e-ISSN: 2620-3553

Vol. 12 No. 1 Maret 2024



# PIKSEL

Penelitian Ilmu Komputer  
Sistem *Embedded & Logic*



*Unravelling How AI Is Applied In  
All Aspects of Life*

Department of Computer Engineering  
Universitas Islam "45" Bekasi





# PIKSEL

**Penelitian Ilmu Komputer  
Sistem *Embedded & Logic***

<b>Web-Based E-Log Book Application for Enhancing the Quality of Student Projects</b> <i>Devanda Radya Ananta, Defri Kurniawan</i> .....	1 - 10
<b>The Enhancing User Experience for Mother and Children Services at Sungai Duren Health Center in Muara Enim, Indonesia</b> <i>Rasmila Rasmila, Muhammad Fharid Akbar</i> .....	11 - 22
<b>Improving Network Performance of Headquarters and Branches Using Software-Defined Network WAN (SD-WAN)</b> <i>Muchlisin Muchlisin, Boy Yuliadi</i> .....	23 - 34
<b>Voice Command-Based IoT on Smart Home Using NodeMCU ESP8266 Microcontroller</b> <i>Muhammad Ariel Shakaramiro, Aris Gunaryati, Ben Rahman</i> .....	35 - 46
<b>Exemplary Teacher Selection Using a VIKOR-Based Decision Support System</b> <i>Dwipa Handayani, Dani Yusuf, Gabriella Putri Larasati, Ozzi Ardhiyanto</i> .....	47 - 58
<b>Security Analysis of Learning Management System Using Penetration Testing with ISSAF Framework</b> <i>Rusydi Umar, Imam Riadi, Sonny Abriantoro Wicaksono</i> .....	59 - 68
<b>Integration of Fuzzy AHP and TOPSIS In Decision Support System for Lecturer Academic Promotion</b> <i>Rakhmi Khalida, khairunnisa Fadhillah Ramdhaniana</i> .....	69 - 78
<b>Learning Tools for Artificial Intelligence Implementation</b> <i>Herlawati Herlawati</i> .....	79 - 88
<b>State Transition Method Analysis for Testing the Interactive Multimedia Applications</b> <i>Santi Purwanti, Khansa Mufidah Fillah, Jaja jaja, Nita Delima</i> .....	89 - 96
<b>Developing a Web-Based Application for Palm Seedling Eligibility Using C5.0 Algorithm and CART Algorithm</b> <i>Muhammad Afif Pratama Ginting, Sriani Sriani</i> .....	97 - 108
<b>Enhancing IT Employee Placement Using SMARTER with Centroid Rank Order Weighting for Candidate Suitability</b> <i>Ben Rahman, Saskia Adinda, Adelia Putri Handayani</i> .....	109 - 118

*Unravelling How AI Is Applied In  
All Aspects of Life*





# PIKSEL


**Penelitian Ilmu Komputer  
Sistem *Embedded & Logic***

<b>Real Time Mask Detection Using Viola Jones Method</b> <i>Safrida Ika Guslianto, Khairunnas Khairunnas, Tachiyya Nailal Khusna, Miftahul Jannah</i> .....	119 - 126
<b>Smart Home System for Controlling Household Appliances Utilizing Photovoltaic Technology</b> <i>Mohammad Khoiruddin, Endang Retnoningsih, Syahbaniar Rofiah</i> .....	127 - 138
<b>Policy of Academic Revitalization through Information Technology for Quality Management Enhancement in Private Higher Education Institutions in Indonesia</b> <i>Anuar Sanusi, Firmansyah Firmansyah, Muhammad Said Hasibuan, Nurfiana Nurfiana, Novi Herawadi S</i> ....	139 - 148
<b>Sales Information System Utilizing 13.56 MHz RFID Member Cards for Enhanced Efficiency in Cooperative Stores</b> <i>Dani Yusuf, Denis Ahmad</i> .....	149 - 160
<b>Determining Sales Patterns of Beauty Products Using the Apriori Algorithm in Data Mining</b> <i>Windi Maharani, Raissa Amanda Putri</i> .....	161-172
<b>Implementation of Digital Forensics Photorec in Recovering Lost Files on External Storage</b> <i>Rahmat Novrianda Dasmien, Asti Triwulanda, Rasmila Rasmila, Dedi Kurniawan, Julia Julia</i> .....	173-178
<b>Event Management System for Faculty of Mathematics and Natural Sciences Organizers</b> <i>Agung Prajuhana Putra, Lita Karlitasari</i> .....	179-188
<b>Determining Sales Patterns Using the Apriori Algorithm: A Case Study of Unlocked Cafe's Website Applications</b> <i>Rafika Sari, Nur Helmy, Allan Desi Alexander</i> .....	189-200
<b>Expert System for Chiller Machine Damage Detection Using Forward Chaining Algorithm</b> <i>Achmad Noeman, Atsal Adriansyah, Abrar Hiswara, Dian Hartanti, Prio Kustanto, Hafizah</i> .....	201-208
<b>Sentiment Analysis of Application Reviews using the K-Nearest Neighbors (KNN) Algorithm</b> <i>Damar Wijati, Prima Dina Atika, Siti Setiawati, Rasim</i> .....	209-218

*Unravelling how AI is applied in  
all aspects of life*

Department of Computer Engineering  
Universitas Islam "45" Bekasi

p-ISSN: 2303-3304  
e-ISSN: 2620-3553  
Vol. 12 No. 1  
Maret 2024



PIKSEL status is accredited by the Directorate General of Research Strengthening and Development No. 225/E/KPT/2022 with Indonesian Scientific Index (SINTA) journal-level of S3, starting from Volume 10 (1) 2022 to Volume 14 (2) 2026.



First publish in 2013.  
Available online since 2018.

Sinta 5 SK No.28/E/KPT/2019



Sinta 3 SK No.225/E/KPT/2022

From Editor-in-Chief

السَّلَامُ عَلَيْكُمْ وَرَحْمَةُ اللَّهِ وَبَرَكَاتُهُ

Best wishes to all the members of Editorial Board, Reviewers Panel, Authors and Readers of PIKSEL for a very happy, and stay healthy.



Rahmadya, Ph.D.  
Editor-in-Chief

To meet the demands in the implementation of AI in various aspects of life, most research provides examples of how AI and other computer science methods are implemented in various fields, ranging from education, computer security, business, to information technology infrastructure.

Undoubtedly, Artificial Intelligence (AI) has permeated every facet of life. Every scientific field has acquired AI as part of its scientific aspect. The role of computer science becomes increasingly important in enhancing the performance of AI models implemented in these fields. Therefore, this edition of PIKSEL focuses on implementations in areas such as computer science, embedded systems, and logic, which are the focus of this journal.

To meet the demands in the implementation of AI in various aspects of life, most research provides examples of how AI and other computer science methods are implemented in various fields, ranging from education, computer security, business, to information technology infrastructure.

Publisher: LPPM Universitas Islam 45

Office:

Fakultas Teknik Universitas Islam 45

Jl. Cut Meutia No. 83 Margahayu Kecamatan Bekasi Timur  
Kota Bekasi Jawa Barat Indonesia 17113

Telp. (021) 8802015


e-mail: [piksel@unsimabekasi.ac.id](mailto:piksel@unsimabekasi.ac.id)

website: <http://jurnal.unismabekasi.ac.id/index.php/piksel>





**p-ISSN: 2303-3304**  
**e-ISSN: 2620-3553**  
**Vol. 12 No. 1**  
**Maret 2024**



## Editor Board Journal PIKSEL

### EDITOR IN CHIEF

Rahmadya Trias Handayanto, S.T., M.Kom., Ph.D  
(Scopus ID: [55014574400](#), Universitas Islam 45)

### DEPUTY EDITOR IN CHIEF

Inna Ekawati, S.T., MMSI  
(Scopus ID: [57221501629](#), Universitas Islam 45)

### BOARD OF EDITORS

**Maimunah, S.Si., M.Kom**

(Scopus ID: [57215528459](#), Universitas Muhammadiyah Magelang)

**Deshinta Arrova Dewi**

(Scopus ID: [55012068200](#), INTI International University, Malaysia)

**Retno Nugroho Whidhiasih, S.Kom., M.Kom**

(Scopus ID: [55613478500](#), Universitas Islam 45)

**Endang Retnoningsih, S.Kom., M.Kom**

(Scopus ID: [57215526966](#), Institut Bisnis Muhammadiyah Bekasi)

**Fata Nidaul Khasanah, S.Kom., M.Eng**

(Scopus ID: [57189353040](#), Universitas Bhayangkara Jakarta Raya)

**Yopi Handrianto, S.Kom., M.Kom**

(Scopus ID: [57215294416](#), Universitas Bina Sarana Informatika)

**Dr. Richard, S.Kom., M.M.**

(Scopus ID: [56638189100](#), Universitas Bina Nusantara)

**Dr. Ben Rahman, B.Sc., S.Kom., M.MSI.**

(Scopus ID: [57215525641](#), Universitas Nasional)

### TECHNICAL EDITOR

Irwan Sukandar

Muryanti


Sumarlin

Deni Herdiana

Puput Putriani

PIKSEL status is accredited by the Directorate General of Research Strengthening and Development No. 225/E/KPT/2022 with Indonesian Scientific Index (SINTA) journal-level of S3, starting from Volume 10 (1) 2022 to Volume 14 (2) 2026.

p-ISSN: 2303-3304  
e-ISSN: 2620-3553  
Vol. 12 No. 1  
Maret 2024



PIKSEL status is accredited by the Directorate General of Research Strengthening and Development No. 225/E/KPT/2022 with Indonesian Scientific Index (SINTA) journal-level of S3, starting from Volume 10 (1) 2022 to Volume 14 (2) 2026.

## REVIEWERS

**Dini Oktarina Dwi Handayani.**

(Scopus ID: [49663073000](#), International Islamic University, Malaysia)

**Augustinus Bayu Primawan, D.Tech.Sc.**

(Scopus ID: [57204114771](#), Universitas Sanata Dharma, Yogyakarta, Indonesia)

**Petrus Sutiyasadi, S.T., M.Eng., D.Eng.**

(Scopus ID: [36968351900](#), Politeknik Mekatronika Sanata Dharma, Yogyakarta, Indonesia)

**Cahyono Sigit Pramudyo, S.T., M.T., D.Eng.**

(Scopus ID: [57195353262](#), Universitas Islam Negeri Sunan Kalijaga, Yogyakarta, Indonesia)

**Taqwa Hariguna, S.Kom., M.Kom., Ph.D.**

(Scopus ID: [57193771775](#), Universitas AMIKOM Purwokerto, Purwokerto, Indonesia)

**Henriyadi, S.Si., M.Sc.**

(Litbang Departemen Pertanian, Jakarta, Indonesia)

**Dr. Herlawati, S.Si., M.M., M.Kom**

(Scopus ID: [55613443500](#), Universitas Bhayangkara Jakarta Raya)

**Eni Heni Hermaliani, S.Kom., M.M., M.Kom**

(Scopus ID: [57200210484](#), Universitas Bina Sarana Informatika)

**Malikus Sumadyo., S.Si., M.T.**

(Scopus ID: [57193833463](#), Universitas Islam 45)

**Dadan Irwan, S.T., M.Kom.**

(Scopus ID: [55613449700](#), Universitas Islam 45)

**Haryono, S.Kom., M.M.S.I.**

(Scopus ID: [55015952700](#), Universitas Islam 45)

**Seta Samsiana, S.T., M.T.**

(Scopus ID: [56532498500](#), Universitas Islam 45)

**Hendra Supendar, S.Kom., M.Kom**

(Scopus ID: [57210461454](#), Universitas Bina Sarana Informatika, Indonesia)

**Aji Akbar Firdaus, S.T., M.T**

(Scopus ID: [56596623100](#), Universitas Airlangga, Surabaya, Indonesia)

# Integration of Fuzzy AHP and TOPSIS In Decision Support System for Lecturer Academic Promotion

Rakhmi Khalida <sup>1</sup>, Khairunnisa Fadhillah Ramdhanian <sup>1\*</sup>

\* Correspondence Author: e-mail : khairunnisa.fadhillah@dsn.ubharajaya.ac.id

<sup>1</sup> Informatics; Universitas Bhayangkara Jakarta Raya;  
Jl. Raya Perjuangan No. 81 Margamulya, Bekasi Utara,  
Bekasi, Indonesia; telp. (021) 88955882;  
e-mail: rakhmi.khalida@dsn.ubharajaya.ac.id,  
e-mail: khairunnisa.fadhillah@dsn.ubharajaya.ac.id

Submitted : 10/01/2024  
Revised : 16/01/2024  
Accepted : 04/03/2024  
Published : 30/03/2024

## Abstract

Lecturer academic position or known as functional position is a criterion to measure the quality of higher education lecturers. Functional positions are also a form of performance performance for lecturers to be more measurable. Currently, technology is a tool for universities to measure lecturer performance and monitor applications for lecturer functional position increases to avoid the subjective nature that occurs in many cases. This research proposes to integrate the Fuzzy AHP and TOPSIS methods in providing recommendations to universities regarding the order of lecturers who are eligible to apply for functional promotion. This method assesses the relative importance of each criterion (education, teaching, research, community service, and support) and alternative (worthy and not worthy). The results obtained as many as 8 lecturers were declared worthy of promotion recommendations with lecturer 8 and lecturer 7 being the first and second order recommended for eligibility.

**Keywords:** lecturer academic position, functional position, Fuzzy AHP, TOPSIS

## 1. Introduction

One measurement of the quality of higher education is seen from the quality of human resources (lecturers) and the quality of lecturers can be proven by the level of education and the level of academic position of lecturers or often called functional positions. Provisions regarding the functional position of lecturers and credit score are regulated in the Regulation of the Minister of Administrative Reform and Bureaucratic Reform Number 17 of 2013 concerning: Functional Position of Lecturer and Credit Score (Ildikti kemendikbud, 2019). Functional position rules are usually intended to show more measurable and quality performance, given the competition of lecturers around the world

A lecturer must have a Master's degree and a minimum functional position of expert Assistant with rank or class III-b. The lecturer must then advance to the position of Head Lecturer or Professor, by continuing his doctoral studies. The requirements for these two positions are a Doctorate and publications in reputable international journals (Ildikti kemendikbud, 2019) .

The promotion can be categorized into two classes, namely the promotion of academic positions normally (regular) and jumping positions (Setyowati Lilis et al., 2018). In general, the process of increasing the academic position of lecturers considers the credit score obtained from integrity, ethics, manners and responsibility in education,




teaching and community service as well as fulfilling the requirements for publication of scientific papers (Afifah, 2018). Currently, technology can help universities to encourage lecturers to regularly manage and apply for lecturer academic promotion in order to avoid the subjective nature that occurs in many cases of recommendations for lecturer academic promotion (Khalida et al., 2019) (Hartini, 2018).

The lecturer academic position recommendation system can be one of the solutions to the problems mentioned so that recommendations for lecturer academic promotion can be made objectively, effectively, and efficiently and produce consistent decisions. The Multiple Criteria Decision Making (MCDM) method can be applied to the recommendation system because the MCDM method functions to determine the best choice from a number of options by considering the reference criteria (Sugiartawan & Suprihanto, 2021). One type of MCDM is the Fuzzy Analytical Hierarchy Process (Fuzzy AHP). This method assesses the relative importance of each criterion. Another MCDM method is Technique for Order Preference by Similarity to Ideal Solution (TOPSIS) which works based on the concept that the selected alternative is calculated from the shortest distance from the positive ideal solution and has the longest distance from the negative ideal solution (Sutinah & Nisa, 2018).

The recommendation process for lecturer academic promotion must have optimal results, because of the limited quota for applying for lecturer academic promotion. This research proposes the integration of Fuzzy AHP algorithm integrated with TOPSIS to determine alternatives that have preferences from each criterion that apply for lecturer academic promotion. The purpose of this research is that the order of lecturers who want to apply for lecturer academic promotion will be recommended by the system.

## 2. Research Method


This research uses expert respondents from one of the public universities in Bekasi. The data used is primary data, meaning that the data is collected directly from expert sources at the research location. The research method can be found in Figure 1.



Source: Research's Result (2023)


Figure 1. Research Method

Based on the List of Proposed Determination of Credit Score (DUPAK), criteria and alternatives can be determined. The criteria referred to in the Fuzzy AHP and TOPSIS algorithms are measures that are the basis for assessment. An alternative is the result of a final decision or recommendation (Broto & Maharani, 2020) (Rucitra, 2015). There are five criteria determined, namely education (C1), teaching (C2), research (C3), community service (C4) and support (C5) and the alternatives are lecturers who are eligible for promotion or not eligible. The percentage of criteria required for each level of lecturer academic promotion is different. The percentage of criteria for each level is in accordance with PERMENPANRB 17-2013 (Ildikti kemendikbud, 2019). The percentage of criteria for each level of lecturer academic position is described by a hierarchical model that can be seen in Figure 2 and Figure 3.



Source: Research's Result (2023)

Figure 2. Hierarchy Model for Lectors



Source: Research's Result (2023)

Figure 3. (a) Hierarchy Model for Head Lectors, (b) Hierarchy Model for Professor

The next step is processing using the Fuzzy AHP method and then calculating the consistency of the criteria weights in order to continue the recommendation process. The Fuzzy Analytical Hierarchy Process (AHP) (Chang, 1996) calculation process is as follows:

1. Determining pairwise matrix comparisons between criteria with TFN scale to create a hierarchical structure.
2. Calculating the priority fuzzy synthesis value ( $S_i$ )



$$S_i = \sum_{j=1}^m M_i^j \otimes [\sum_{i=1}^n \sum_{j=1}^m M_i^j]^{-1} \tag{1}$$

with

$$\sum_{j=1}^m M_i^j = (\sum_{j=1}^m l_j, \sum_{j=1}^m m_j, \sum_{j=1}^m u_j) \tag{2}$$

and

$$\sum_{i=1}^n \sum_{j=1}^m M_i^j = (\sum_{i=1}^n \sum_{j=1}^m l_{ij}, \sum_{i=1}^n \sum_{j=1}^m m_{ij}, \sum_{i=1}^n \sum_{j=1}^m u_{ij}) \tag{3}$$

- Calculating the vector value (V) and the defuzzification ordinate value (d'). Two fuzzy triangular numbers  $M_1 = (l_1, m_1, u_1)$  and  $M_2 = (l_2, m_2, u_2)$  with probability level  $M_2 \geq M_1$  can be defined as follows:

$$V(M_2 \geq M_1) = \begin{cases} 1 & \text{if } m_2 \geq m_1 \\ 0 & \text{if } l_1 \geq u_2 \\ \frac{l_1 - u_2}{(m_2 - u_2) - (m_1 - l_1)} & \text{for other conditions} \end{cases} \tag{4}$$

For a convex fuzzy number  $M$  compared to a number  $k$  of convex fuzzy numbers  $M_i$  can be determinant by:

$$V(M \geq M_1, M_2, \dots, M_k) = \min_{i=1,2,\dots,k} V(M \geq M_i). \tag{5}$$

$$\text{With assume } d'(A_i) = \min_{k \neq i} V(S_i \geq S_k) \tag{6}$$

- Perform normalization of Fuzzy weight values. Vector weights are defined:

$$W' = (d(A_1), d(A_2), \dots, d(A_n))^T$$

After all criteria weights are met, the role of alternatives is carried out. The following steps are used to perform ranking and use the TOPSIS method:

- Creating a decision matrix

$$X = \begin{matrix} & c_1 & c_2 & \dots & c_n \\ a_1 & \begin{bmatrix} x_{11} & x_{12} & \dots & x_{1n} \end{bmatrix} \\ a_2 & \begin{bmatrix} x_{21} & x_{22} & \dots & x_{2n} \end{bmatrix} \\ \vdots & \begin{bmatrix} \vdots & \vdots & \ddots & \vdots \end{bmatrix} \\ a_m & \begin{bmatrix} x_{m1} & x_{m2} & \dots & x_{mn} \end{bmatrix} \end{matrix} \tag{7}$$

With  $a_i$  are alternatives  $i = 1, 2, \dots, m$  and  $c_j$  are attributes  $j = 1, 2, \dots, m$ .

- Perform normalization on the decision matrix (R). The entries of the normalized decision matrix are obtained from

$$r_{ij} = x_{ij} \left( \sum_{i=1}^m x_{ij} \right)^{-1}$$

- Calculating the weights on the normalized decision matrix. The weighted normalization matrix (Y) is a matrix which is the result of the calculation of the matrix r multiplied by the weight value of the criteria  $w_j$ . The weight value used is the weight value that refers to the criteria. The weighted normalized decision matrix is formed from the equation.

$$y_{ij} = r_{ij} w_j \tag{8}$$

4. Calculating the value of positive ideal solutions and negative ideal solutions.

$$A^+ = (y_1^+, y_2^+, \dots, y_j^+) \tag{8}$$

$$A^- = (y_1^-, y_2^-, \dots, y_j^-) \tag{9}$$

with

$$y_j^+ = \begin{cases} \max_{j=1,2,\dots,n} y_{ij} & , \text{if } j \text{ of profit attribute in the positive ideal solution} \\ \min_{j=1,2,\dots,n} y_{ij} & , \text{if } j \text{ of cost attribute in the positive ideal solution} \end{cases}$$

$$y_j^- = \begin{cases} \max_{j=1,2,\dots,n} y_{ij} & , \text{if } j \text{ of cost attribute in the negative ideal solution} \\ \min_{j=1,2,\dots,n} y_{ij} & , \text{if } j \text{ of profit attribute in the negative ideal solution} \end{cases}$$

5. Calculating the distance between positive ideal solution values and negative ideal solutions.

$$D_i^+ = \sum_{j=i}^m (y_j^+ - y_{ij})^2 \tag{10}$$

$$D_i^- = \sum_{j=i}^m (y_j^- - y_{ij})^2 \tag{11}$$

6. Calculating the preference value

$$V_i = \frac{D_i^-}{D_i^- + D_i^+} \tag{12}$$

with  $i = 1, 2, \dots, m$

### 3. Result and Analysis

This recommendation system works with each criterion that has been determined by its weight by Fuzzy AHP then continued with ranking using TOPSIS. The number of samples is the result of the Slovin sampling method with an error tolerance of 0.25 and from a total population of 35 lecturers. Ten of these lecturers submitted proposals for academic promotion to the level of lecturer and head lecturer can be seen in Figure 4. The determination of whether or not an alternative is feasible is determined by the need for points that refer to the rules of PERMENPAN-RB 17-2013 can be seen in Table 1 and the calculations are as follows:


$$\frac{\text{Value Obtained}}{\text{Biggest Value}} \leq x < \frac{\text{Value Obtained}}{\text{Biggest Value}}$$

Tabel 1. Eligibility Point Range

Level	Range Value
Expert Assistant IIIB	$0.1 \leq x < 0.19$
Lector IIIC	$0.19 \leq x < 0.28$
Lector IIID	$0.28 \leq x < 0.38$
Head Lector IVA	$0.38 \leq x < 0.52$
Head Lector IVB	$0.52 \leq x < 0.67$
Head Lector IVC	$0.67 \leq x < 0.80$
Professor IVD	$0.80 \leq x < 1$
Professor IVE	$1 \leq x$

Source: Research's Result (2023)





Source: Research's Result (2023)

Figure 4. Menu Features for Lecturers who Apply for Academic Promotion

### 3.1. Matriks Perbandingan Berpasangan dan Nilai Kriteria Dosen

Determining each importance intensity of each criterion to avoid  $CR > 0.1$  or inconsistent values. Table 2 is a pairwise comparison matrix whose value is between 1-9 according to the AHP rating scale that has been determined based on the assumptions of a master assessor. Table 3 is the ownership of alternative sample points for applying for lecturer academic promotion.

Tabel 2. Pairwise Matrix

	C1	C2	C3	C4	C5
C1	1	3	5	5	7
C2	1/3	1	5	7	9
C3	1/5	1/5	1	9	9
C4	1/5	1/7	1/9	1	3
C5	1/7	1/9	1/9	1/3	1

Source: Research's Result (2023)

Tabel 3. Decision Matrix Structure

Alternatif	Recomendation	Criteria				
		C1	C2	C3	C4	C5
Dosen 1	lector 300 IIID	0.25	1	1	0.5	0.5
Dosen 2	lector 300 IIID	0.25	1	1	0.5	0.5
Dosen 3	lector 200 IIIC	0.25	0.5	0.5	1	1
Dosen 4	lector kepala IVA	0.75	0.5	1	0.5	0.5
Dosen 5	lector 200 IIIC	0.25	1	0.5	0.75	0.75
Dosen 6	lector 300 IIID	0.75	0.75	0.75	1	1
Dosen 7	lector 300 IIID	1	0.75	0.75	0.5	0.5

Alternatif	Recomendation	Criteria				
		C1	C2	C3	C4	C5
Dosen 8	lector kepala IVA	1	0.75	1	0.75	0.75
Dosen 9	lector 300 IID	0.25	0.5	0.5	0.5	1
Dosen 10	lector 300 IID	0.25	0.5	0.5	0.5	1

Source: Research's Result (2023)

### 3.2. Transformasi TFN terhadap Skala

The pairwise matrix that has been obtained is then transformed into the form of Fuzzy AHP criteria weights. Table 4 shows the weight value of each criterion with variables l, namely the lower limit, m, namely the middle limit, u, namely the upper limit. The total value of the number of rows and columns is calculated to get the weight of the Fuzzy AHP criteria which can be seen in Table 5.

Tabel 4. Pairwise Matrix In Fuzzy AHP

	C1			C2			C3			C4			C5		
	l	m	u	l	m	u	l	m	u	l	m	u	l	m	u
C1	1	1	1	1	1.5	2	2	2.5	3	2	2.5	3	3	3.5	4
C2	0.5	0.67	1	1	1	1	2	2.5	3	3	3.5	4	4	4.5	4.5
C3	0.3	0.4	0.5	0.33	0.4	0.5	1	1	1	4	4.5	4.5	4	4.5	4.5
C4	0.3	0.4	0.5	0.25	0.29	0.333	0.22	0.22	0.25	1	1	1	1	1.5	2
C5	0.3	0.29	0.333	0.22	0.22	0.25	0.22	0.22	0.25	0.5	0.67	1	1	1	1

Source: Research's Result (2023)

Tabel 5. Total Rows and Columns of Fuzzy AHP Weights

	l	m	u
C1	10	12	13.5
C2	11	12.2	13.5
C3	9.7	10.8	11
C4	2.8	3.41	4.083
C5	2.2	2.33	2.75
Total	<b>35</b>	<b>40.7</b>	<b>44.83</b>

Source: Research's Result (2023)

### 3.3. Perhitungan Fuzzy AHP

Based on the Fuzzy AHP theory developed (Chang, 1996). The next step is to calculate the Fuzzy AHP synthesis value for each criterion, the results of which can be seen in Table 6.

Tabel 6. Total Rows and Columns of Fuzzy AHP Weights

	l	m	u
C1	0.2	0.3	0.384
C2	0.2	0.3	0.384
C3	0.2	0.27	0.313
C4	0.1	0.08	0.116
C5	0	0.06	0.078

Source: Research's Result (2023)

Tabel 7. Vector Value, Defuzzification, and Weight of the Normalized Vector

V (C1 ≥ C2)	C1	C2	C3	C4	C5	d'(Ci)	Weight
C1	.....	0.974	1	1	1	0.974	1.318
C2	1	.....	1	1	1	1	1.353



V (C1 ≥ C2)	C1	C2	C3	C4	C5	d'(Ci)	Weight
C3	1	0.699	.....	1	1	0.699	0.890
C4	0	0	-0.875	.....	1	-0.875	-1
C5	-1.180	0	0	0.357	.....	-1.180	-1.560
Total each column						0.618	1

Source: Research's Result (2023)

Table 7 above shows the weight of each criterion. The weight of the education criteria is 1.318, the weight of the teaching criteria is 1.353, the weight of the research criteria is 0.890, the weight of the community service criteria is -1 and the weight of the supporting criteria is -1.560. The results of determining the weight of Fuzzy AHP show the order of weight from largest to smallest, namely teaching, education, research, community service, and support criteria.

### 3.4. Perangkingan Alternatif dengan Perhitungan TOPSIS

The weights that have been obtained based on the Fuzzy AHP calculation in Table 7 are then used as a reference weight by the TOPSIS calculation to get the order of lecturers who are recommended to apply for academic positions. The point ownership value of each alternative based on the submitted DUPAK can be seen in Table 3. The next step is to normalize the decision matrix and calculate the weights on the normalized matrix which can be seen in Table 8.

Tabel 8. Weighted Normalization Matrix

Alternatif	Criteria				
	C1	C2	C3	C4	C5
Dosen 1	0.100222966	0.419313935	0.404061018	0.116247639	0.058123819
Dosen 2	0.100222966	0.419313935	0.404061018	0.116247639	0.058123819
Dosen 3	0.100222966	0.209656967	0.202030509	0.232495277	0.116247639
Dosen 4	0.300668897	0.209656967	0.404061018	0.116247639	0.058123819
Dosen 5	0.100222966	0.419313935	0.202030509	0.174371458	0.087185729
Dosen 6	0.300668897	0.314485451	0.303045763	0.232495277	0.116247639
Dosen 7	0.400891863	0.314485451	0.303045763	0.116247639	0.058123819
Dosen 8	0.400891863	0.314485451	0.404061018	0.174371458	0.087185729
Dosen 9	0.100222966	0.209656967	0.202030509	0.116247639	0.116247639
Dosen 10	0.100222966	0.209656967	0.202030509	0.116247639	0.116247639

Source: Research's Result (2023)

The next step is to calculate the positive ideal solution matrix ( $D_i^+$ ) and negative ideal solution matrix ( $D_i^-$ ). If the benefit attributes (C1, C2 and C3) then ( $D_i^+$ ) is the maximum value and ( $D_i^-$ ) is the minimum value in each column. If cost attributes (C4 and C5) then ( $D_i^+$ ) is the minimum value and ( $D_i^-$ ) is the maximum value in each column. The positive and negative ideal solution can be seen in Table 9 and the distance between the value of each alternative with the positive ideal solution matrix ( $D_i^+$ ) and the negative ideal solution matrix ( $D_i^-$ ) can be seen in Table 10.

Tabel 9. Positive Ideal Solution and Negative Ideal Solution

	Criteria				
	C1	C2	C3	C4	C5
A <sup>+</sup>	0.400892	0.419314	0.404061	0.232495	0.116248
A <sup>-</sup>	0.100223	0.209657	0.202031	0.116248	0.058124

Source: Research's Result (2023)

Tabel 10. Distance of each alternative with  $(D_i^+)$  and  $(D_i^-)$

	$(D_i^+)$	$(D_i^-)$
Dosen 1	0.327557	0.291157
Dosen 2	0.327557	0.291157
Dosen 3	0.418538	0.129969
Dosen 4	0.266257	0.284596
Dosen 5	0.368023	0.219497
Dosen 6	0.176742	0.279756
Dosen 7	0.195154	0.334058
Dosen 8	0.123337	0.382662
Dosen 9	0.434382	0.058124
Dosen 10	0.434382	0.058124

Source: Research's Result (2023)

The next step is to rank alternatives by calculating the relative closeness to the ideal solution  $(V_i)$ . Alternatives with the largest to smallest  $(V_i)$  values become the basis for ranking. The ranking results can be seen in Table 11.

Tabel 11. Rank Alternative  $V_i$

Alternatif	$V_i$
Dosen 8	0.756251
Dosen 7	0.631237
Dosen 6	0.612831
Dosen 4	0.516646
Dosen 1	0.470584
Dosen 2	0.470584
Dosen 5	0.373599
Dosen 3	0.236950
Dosen 9	0.118017
Dosen 10	0.118017

Source: Research's Result (2023)

Based on the integration of Fuzzy AHP and TOPSIS, the recommendation system for lecturer academic promotion resulted in 8 lecturers being recommended to be eligible to apply for lecturer academic promotion. Lecturer 8 gets the first order of recommendations worthy of academic promotion to lector head IVA, lecturer 7 and lecturer 6 second and third order recommended eligible of academic promotion to lector IIID, lecturer 4 fourth order recommended eligible of academic promotion to lector IVA. Lecturer 1 and lecturer 2, fifth and sixth, are recommended to be promoted to lector IIID. Lecturer 5 and lecturer 3 in the seventh and eighth ranks are recommended to be eligible for academic promotion to lector IIIC. Lecturer 9 and lecturer 10 are not recommended to be promoted applying for an increase in lecturer academic position because the points obtained do not reach the specified range.

#### 4. Conclusion

Ten lecturers who applied for an increase in lecturer academic positions, the recommendation system stated that 8 lecturers were eligible to apply for an increase in lecturer academic positions and 2 lecturers were not eligible to apply. Fuzzy AHP algorithm integrated with TOPSIS in the recommendation system successfully determines the order of alternatives that have preference points that meet each criterion for applying for lecturer academic promotion. Lecturers who do not have points with the specified range are declared not eligible to apply for promotion.

#### Acknowledgements

The authors thanks Pikel journal editorial team for providing the opportunity to submit and carry out a review related to the journal.

#### Author Contributions

Khalida proposed the topic; Khalida and Khairunnisa conceived models and designed the experiments; Khalida conceived the optimisation algorithms; Khalida and Khairunnisa analysed the result.

#### Conflicts of Interest

The author declare no conflict of interest.

#### References

- Afifah, I. (2018). Metode Fuzzy Ahp Skripsi Oleh : INSAN AFIFAH. *Sistem Pendukung Keputusan Rekomendasi Kenaikan Jabatan Dosen UIN Maulana Malik Ibrahim Malang Dengan Metode Fuzzy AHP*.
- Broto, A. B., & Maharani, E. (2020). IMPLEMENTASI FUZZY AHP DAN TOPSIS PROKONS : Jurnal Teknik Sipil. *Jurnal Teknik Sipil*, c(1978–1784), 43–50.
- Chang, D.-Y. (1996). Theory and Methodology: Applications of the extent analysis method on fuzzy AHP. *European Journal of Operational Research*, 95(95), 649–655.
- Hartini, F. T. (2018). S4-PAK-Sistem Pendukung Keputusan Kenaikan Jabatan Fungsi. *Jurnal SISFOKOM*, 7(1), 38–44.
- Khalida, R., Muhajirin, A., Ramdhania, K. F., & Indriana, K. (2019). E-Jafung Sebagai Sarana Penyimpanan Data dan Peningkat Dosen Mengurus Jabatan Fungsional Akademik. *Informatics for Educators and Professionals*, 3(2), 119–128.
- Ildikti kemendikbud. (2019). Pedoman Angka Kredit Dosen 2019. In *Aturan Jabatan Fungsional*. [http://ildikti12.ristekdikti.go.id/wp-content/uploads/2019/03/PO-PAK-2019\\_MULAI-BERLAKU-APRIL-2019.pdf](http://ildikti12.ristekdikti.go.id/wp-content/uploads/2019/03/PO-PAK-2019_MULAI-BERLAKU-APRIL-2019.pdf)
- Rucitra, A. (2015). Penggunaan Metode Fuzzy Ahp Dan Topsis Pada Promosi Jabatan ( Studi Kasus Pada Perusahaan X ). *Thesis*.
- Setyowati Lilis, Macmuddah Zaky, & Fauza Herma Desy. (2018). Pentingnya Jabatan Fungsional Dosen untuk meningkatkan Karier Dosen. *Jurnal Sains Manajemen*, 4(1), 12–20.
- Sugiartawan, P., & Suprihanto, D. (2021). SPK Sistem Pendukung Keputusan Promosi Kenaikan Jabatan dengan Fuzzy AHP di STMIK STIKOM Indonesia. *Jurnal Sistem Informasi Dan Komputer Terapan Indonesia (JSIKTI)*, 2(4), 41–50. <https://doi.org/10.33173/jsikti.80>
- Sutinah, E., & Nisa, K. (2018). Kombinasi Metode Fuzzy Analytical Hierarchy Process dan Technique for Order Preference by Similarity to Ideal Solution Dalam Pemilihan Supplier. *Informatics for Educators and Professionals*, 2(2), 1–41.